

Los hongos como fuente alternativa de proteína no animal.

Estela García Pérez. Grado en Veterinaria. Universidad de León.

Referencias bibliográficas.

1. Aaronson S. (2000) "Fungi", en Kiple K. F. y Ornelas K. C. (eds.) *The Cambridge world history of food*. Cambridge: Cambridge University Press, pp. 313–336.
2. Adedayo M. R., Ajiboye E. A., Akintunde J. K. y Odaibo A. (2011) "Single Cell Protein: as nutritional enhancer", *Journal of Microbiology*, 2 (5), pp. 396–409.
3. Akanni G., Ntuli V. y du Preez J. C. (2014) "Cactus pear biomass, a potential lignocellulose raw material for Single Cell Protein production (SCP): a review", *International Journal of Current Microbiology and Applied Sciences*, 3 (7), pp. 171-197.
4. Alexopoulos C. J. y Mims C. W. (1985) "El reino de los Micetes (Miceteae): introducción a los hongos y esbozo de los taxones principales" en Alexopoulos C. J. y Mims C. W. (eds.) *Introductory Mycology*. 3ª ed. New York: John Wiley & Sons, Inc., pp. 3-44.
5. AL-Hussainy K. S. J. y AL-Fadhly N. K. Z. (2019) "Comparison between protein and amino acids of mushroom *Agaricus bisporus* with some kinds of meat and meat's products", *International Conference on Agricultural Sciences*, 338, pp. 1-16.
6. Anupama y Ravindra P. (2000) "Value-added food: Single cell protein", *Biotechnology Advances*, 18, pp. 459–479.
7. Bajpai P. (2017) *Single Cell Protein Production from Lignocellulosic Biomass*. Singapore: Springer.
8. Barros L., Baptista P., Correira D. M., Casa S., Oliveira B. y Ferreira I. C. F. R. (2007) "Fatty acid and sugar compositions, and nutritional value of five wild edible mushrooms from Northeast Portugal", *Food Chemistry*, 105, pp. 140-145.
9. Bauer-Petrovska, B. (2001) "Protein fractions in edible Macedonian mushrooms", *European Food Research and Technology*, 212, pp. 469-472.
10. Bhuvaneshwari M. y Sivakumar N. (2021). "Fungi: A potential future meat substitute", en Dai X., Sharma M. y Chen J. (eds.) *Fungi in sustainable food production*. Cham, Switzerland: Springer, pp. 181-195.
11. Bratosin B. C., Darjan S. y Vodnar D. C. (2021) "Single Cell Protein: A potential substitute in human and animal nutrition", *Sustainability*, 13 (9284), pp. 1-24.
12. Breene W. M. (1990) "Nutritional and medicinal value of specialty mushrooms", *Journal of Food Protection*, 53 (10), pp. 883–894.
13. Business Insider (2021) *Hongos que reinan: las micoproteínas suben peldaños en el mercado de alternativas a la carne, y estas son las empresas líderes del segmento*. Disponible en: <https://www.businessinsider.es/micoproteinas-crecen-mercado-alternativas-carne-921801> (Accedido: 10 de mayo de 2023).
14. Chand N. y Khan R. U. (2014) "Replacement of soybean meal with yeast Single Cell Protein in broiler ration: The effect on performance traits", *Pakistan Journal of Zoology*, 46 (6), pp. 1753-1758.
15. Chang S. T. y Miles P. G. (2004) *Mushrooms. Cultivation, Nutritional Value, Medicinal Effect, and Environmental Impact*. 2ª ed, Boca Raton: CRC Press.
16. Cheng Y. C. y Kim S. W. (2022) "Use of microorganisms as nutritional and functional feedstuffs for nursery pigs and broilers", *Animals*, 12 (3141), pp. 1-23.
17. Chuang W. Y., Liu C. L., Tsai C. F., Lin W. C., Chang S. C., Shih H. D., Shy Y. M. y Lee T. T. (2020) "Evaluation of waste mushroom compost as a feed supplement and its effects on the fat metabolism and anti-oxidant capacity of broilers", *Animals*, 10 (3), 445.
18. Colak A., Faiz Ö. y Sesli E. (2009) "Nutritional composition of some wild edible mushrooms", *Turkish Journal of Biochemistry*, 34 (1), pp. 25-31.
19. Cooney C. L. (1986) "Continuous culture: a tool for research, development and production", en Alani D. I. y Moo-Young M. (eds.) *Perspectives in biotechnology and applied microbiology*. London: Elsevier Applied Science, pp. 271–285.
20. Cruz A., Håkenåsen I. M., Skugor A., Mydland L. T., Åkesson C. P., Hellestveit S. S., Sørby R., Press C. M. y Øverland M. (2019) "*Candida Utilis* Yeast as a Protein Source

- for Weaned Piglets: Effects on Growth Performance and Digestive Function”, *Livestock Science*, 226, pp. 31-39.
21. de Giacomi J. P. (2023) “Proteínas alternativas sostenibles y saludables gracias a los hongos”, *Revista Alimentaria*, 539, pp. 86-88.
 22. Duan Z., Xing Z., Shao Y. y Zhao X. (2010) “Effect of electron beam irradiation on postharvest quality and selected enzyme activities of the white button mushroom, *Agaricus bisporus*”, *Journal of Agricultural and Food Chemistry*, 58 (17), pp. 9617-9621.
 23. eniferBio (2023) *The exceptional story of PEKILO*. Disponible en: <https://www.eniferbio.fi/story/> (Accedido: 10 de mayo de 2023).
 24. Ercili-Cura D., Håkämies A., Sinisalo L., Vainikka P. y Pitkänen J. P. (2020) “Food out of Thin Air”, *Food Science and Technology*, 34 (2), pp. 44-48.
 25. European Food Safety Authority (2019) *Valores dietéticos de referencia para la UE*. Disponible en: <https://multimedia.efsa.europa.eu/drvs/index.htm> (Accedido: 24 de mayo de 2023).
 26. Food and Agriculture Organization of the United Nations (2011) “Chapter 4: Findings and recommendations of the 2011 FAO Expert Consultation on protein quality evaluation in human nutrition”, en *Dietary protein quality evaluation in human nutrition. Food and Nutrition Paper 92*. Auckland, New Zealand: FAO, pp. 19-50.
 27. Fundación Española de la Nutrición (2013) *Libro blanco de la nutrición en España*. Madrid: Lesinguer S. L.
 28. Furey B., Slingerland K., Bauter M. R., Dunn C., Goodman R. E. y Koo S. (2022) “Safety evaluation of Fy Protein™ (Nutritional Fungi Protein), a macroingredient for human consumption”, *Food and Chemical Toxicology*, 166, pp. 1-10.
 29. Guerriero G., Hausman J. F., Strauss J., Ertan H. y Siddiqui K. S. (2015) “Deconstructing plant biomass: focus on fungal and extremophilic cell wall hydrolases”, *Plant Science*, 234, pp. 180-193.
 30. Hashempour-Baltork F., Khosravi-Darani K., Hosseini H., Farshi P. y Reihani S. F. (2020) “Mycoproteins as safe meat substitutes”, *Journal of Cleaner Production*, 253, pp. 1-10.
 31. Hosseini S., Khosravi-Darani K., Mohammadifar M. y Nikoopour H. (2009) “Production of mycoprotein by *Fusarium venenatum* growth on modified vogel medium”, *Asian Journal of Chemistry*, 21 (5), pp. 4017-4022.
 32. Illana-Esteban C. (2018) “Micoproteínas: Quorn®”, *Yesca*, 30, pp. 27-32.
 33. Jiang T., Luo S., Chen Q., Shen L. y Ying T. (2010) “Effect of integrated application of gamma irradiation and modified atmosphere packaging on physicochemical and microbiological properties of shiitake mushroom (*Lentinus edodes*)”, *Food Chemistry*, 122 (3), pp. 761-767.
 34. Kim B. G., Liu Y. y Stein H. H. (2014) “Energy concentration and phosphorus digestibility in yeast products produced from the ethanol industry, and in brewers’ yeast, fish meal, and soybean meal fed to growing pigs”, *Journal of Animal Science*, 92 (12), pp. 5476-5484.
 35. Kumar P., Barret D. M., Delwiche M. J., Stroeve P. (2009) “Methods for pretreatment of lignocellulosic biomass for efficient hydrolysis and biofuel production”, *Industrial and Engineering Chemistry Research*, 48, pp. 3713-3729.
 36. Kumla J., Suwannarach N., Sujarit K., Penkhrue W., Kakumyan P., Jatuwong K., Vadthanarat S. y Lumyong S. (2020) “Cultivation of mushrooms and their lignocellulolytic enzyme production through the utilization of agro-industrial waste”, *Molecules*, 25 (12), 2811.
 37. Lagos L.V. y Stein, H. H. (2020) “Torula yeast has greater digestibility of amino acids and phosphorus, but not energy, compared with a commercial source of fish meal fed to weanling pigs”, *Journal of Animal Science*, 98 (1), pp. 1-9.
 38. Leger D., Matassa S., Noor E., Shepon A., Milo R. y Bar-Even A. (2021) “Photovoltaic-driven microbial protein production can use land and sunlight more efficiently than conventional crops”, *Proceedings of the National Academy of Sciences of the United States of America*, 118 (26), pp. 1-11.
 39. López-Ferreras L. y López S. (2022) “Fuentes de proteína alternativas a la de origen animal”, *Revista de la asociación de científicos y tecnólogos de alimentos de Castilla y León*, 76, pp. 23-30.
 40. Matassa S., Boon N., Pikaar I. y Verstraete W. (2016) “Microbial protein: future sustainable food supply route with low environmental footprint”, *Microbial Biotechnology*, 9, pp. 568-575.

41. Morris-Quevedo H. J., Yebra-Diaz M. I., Arce-Ferrera J. L., Perea-Segura E. y García-Oduardo N. (2021) "Propiedades nutricionales y antioxidantes de nuevas galletas enriquecidas con harina de setas *Pleurotus ostreatus*", *Revista Cubana de Química*, 33 (3), pp. 437-451.
42. Nasser A. T., Rasoul-Amini S., Morowvat M. H. y Ghasemi Y. (2011) "Single cell protein: production and process", *American Journal of Food Technology*, 6 (2), pp. 103-116.
43. Nature's Fynd (2023) *Fy protein*. Disponible en: <https://www.naturesfynd.com/fy-protein> (Accedido: 10 de mayo de 2023).
44. Rahi D. K. y Malik D. (2016) "Diversity of mushrooms and their metabolites of nutraceutical and therapeutic significance", *The Journal of Mycology*, 2016 (1-2), pp. 1-18.
45. Ritala A., Häkkinen S. T., Toivari M. y Wiebe M. G. (2017) "Single cell protein-State-of-the-art, industrial landscape and patents 2001–2016", *Frontiers in Microbiology*, 8 (2009), pp. 1-18.
46. Roncero Ramos I. (2015) *Propiedades nutricionales y saludables de los hongos*. La Rioja: Centro Tecnológico de Investigación del Champiñón de La Rioja.
47. Scholtmeijer K., van den Broek L. A. M., Fischer A. R. H. y van Peer A. (2023) "Potential protein production from lignocellulosic materials using edible mushroom forming fungi", *Journal of Agricultural and Food Chemistry*, 71 (11), pp. 4450-4457.
48. Shurson G. C. (2018) "Yeast and Yeast Derivatives in Feed Additives and Ingredients: Sources, Characteristics, Animal Responses, and Quantification Methods", *Animal Feed Science and Technology*, 235, pp. 60-76.
49. Sinclair C. G. y Cantero D. (1990) "Fermentation modelling", en McNeil B. y Harvey L. M. (eds.) *Fermentation: a practical approach*. Oxford, UK: IRL Press, pp. 65-113.
50. Solomons G. L. (1985) "Production of biomass by filamentous fungi", en Blanch H. W., Drew S. y Wand D. I. C. (eds.) *Comprehensive biotechnology*. Oxford, UK: Pergamon Press, pp. 483-505.
51. Strong P. J., Self R., Allikian K., Szewczyk E., Speight R., O'Hara I. y Harrison M. D. (2022) "Filamentous fungi for future functional food and feed", *Current Opinion in Biotechnology*, 76 (2022), pp. 1-10.
52. Suman G., Nupur M., Anuradha S. y Pradeep B. (2015) "Single cell protein production: A review", *International Journal of Current Microbiology and Applied Sciences*, 4 (9), pp. 251-262.
53. van Heugten E., Funderburke D. W. y Dorton K. L. (2003) "Growth performance, nutrient digestibility, and fecal microflora in weanling pigs fed live yeast", *Journal of Animal Science*, 81 (4), pp. 1004-1012.
54. Van Kan G. A. (2009) "Epidemiology and consequences of sarcopenia", *Journal of Nutrition, Health and Ageing*, 13 (8), pp. 708-712.
55. Van Vliet S., Burd N. A. y van Loon L. J. (2015) "The Skeletal Muscle Anabolic Response to Plant- versus Animal-Based Protein Consumption", *Journal of Nutrition*, 145 (9), pp. 1981-1991.
56. Wiebe M. G. (2002) "Myco-protein from *Fusarium venenatum*: a well-established product for human consumption", *Applied Microbiology and Biotechnology*, 58, pp. 421-427.
57. Wiebe M. G. (2004) "Quorn™ Myco-protein – Overview of a successful fungal product", *Mycologist*, 18, pp. 17-20.